Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	191	(251/90).CCLS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/19 23:12
L3	26	("0262632"   "0701509"   "0766116"   "0925257"   "1078939"   "1089098"   "1203321"   "1597101"   "1759433"   "2504610"   "2959188"   "2994340"   "3998241"   "4007757").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/19 23:25
L4	3	("4865078").URPN.	USPAT	OR	ON	2005/03/19 23:33
L5	3082	valve and spool and retainer	USPAT	OR	ON	2005/03/19 23:34
L6	1659	5 and pin	USPAT	OR	ON	2005/03/19 23:38
L7	114	(valve near2 spool) and (retainer near3 pin)	USPAT	OR	ON	2005/03/19 23:35
L8	71	7 and lock\$3	USPAT	OR	ON	2005/03/19 23:35
L9	43	5 and adaptor and guide	USPAT	OR	ON	2005/03/19 23:45
L10	920	spool near type near valve	USPAT	OR	ON	2005/03/19 23:48
L11	136	10 and retainer	USPAT	OR	ON	2005/03/19 23:46
L12	94	11 and pin	USPAT	OR	ON	2005/03/19 23:46
L13	64	12 not 8 not 9	USPAT	OR	ON	2005/03/19 23:46
L14	133	(spool adj valve) and (position near detent)	USPAT	OR .	ON	2005/03/19 23:49
L15	130	14 not 13	USPAT	OR	ON	2005/03/19 23:49
L16	130	15 not 12 not 8 not 9	USPAT	OR	ON	2005/03/19 23:49
L26	2018	((251/90,95,96,297) or (137/636, 636.4)).CCLS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/20 00:19
L28	13	("3174500"   "3665813"   "3790129"   "4256141"   "4260132"   "4342335"   "4355660"   "4364412"   "4442860"   "4643215"   "4913190"   "5868166").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/20 00:20
L29	2138	(137/458,557,625.66).CCLS.	USPAT; EPO; JPO; DERWENT	OR .	OFF	2005/03/20 00:24
S1	3	("4413805").PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/19 23:12
S2	431	(valve near hydraulic) near3 manual\$2	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/19 22:11
S3	20	S2 and cartridge	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/19 22:15

<b>S4</b>	142	S2 and spool	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/19 22:35
S5	132	S4 and (open\$3 port hole)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/19 22:26
S7	2	("5579642").PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/19 22:21
S8	15	("2831466"   "3106135"   "3120858"   "3160174"   "3346012"   "3641876"   "3866880"   "3939870"   "4154262"   "4182534").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/19 22:24
S9	21	S4 and retainer	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/19 22:26
S10	1	2004-356615.NRAN.	DERWENT	OR	ON	2005/03/19 22:31
S11	8	S2 and (retainer near4 pin)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/19 22:36

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	920	spool near type near valve	USPAT	OR	ON	2005/03/20 17:18
L5	69	L4 and detent	USPAT	OR	ON	2005/03/20 17:30